				-	
	·		h		
	-				
ī					
	**				
	*	-			
·*					
<u>*</u>					
·····				·	
		-			
2					
	<u> </u>	· · · · · · · · · · · · · · · · · · ·	¥ *		- 40 A
ند		.			
· · · ·			·		
·*					
<u>, e , , , , , , , , , , , , , , , , , ,</u>			-		
	_		'.		
	_		`A	_	
	-		`k	-	
				_	
				-	
			*		
			*		
	···				

Hazardous Per 29 CFR 1910.1200: Yes Exposure Standards: None Established

III - PRECAUTIONS FOR SAFE HANDLING AND STORAGE

DO NOT TAKE INTERNALLY

AUOD CONTACT WITH CURLOD EVEC LIDON CONTACT WITH OUD EVEC WACH OFF WITH

•		
		_
	A	
	·	
·		
		·
a		
	· · · · · · · · · · · · · · · · · · ·	

Equipment Specifications (When Applicable):

	Bosnisster Turne MIQSU or	porround receivator equipmed	with chemical cartridges for	nrotection against
- <u> </u>				
	(
<u></u>				
/		· .		
" <u> </u>			<u>n</u>	
<u> </u>				
- /- -				
· · · · · · · · · · · · · · · · · · ·				
1		L		
,				
· · · · · · · · · · · · · · · · · · ·				
·,				
			¥	()
Ā.,				
1	-			
	<u>ره</u>	¥		
<u>, 1 </u>				
54T		· · · · · · · · · · · · · · · · · · ·		
				-
				۔ ج⊀
		V 7		
			-	
		· · ·		
<u> </u>		jun .		
	Č.			
				-
4 h ,				
	15			14 <u></u>
, 10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		-		
			x The second sec	
بالله من الله الله الله الله الله الله الله الل				
р / рррррр				
•/		٨.		
)				

6-22	
He	
e de la constancia de la c	
	· •
1	
	/ >

The second secon	L = 2 - 2 - 2 - 2 - 2
	••
	[** ·
	4
	A
	,
	2